
Author Index of Volume 95

- Ala-Kaila, K. 187
Alexandrova, S. 137
Amal, R. 179, 213
Anantharaman, N. 199
Assabumrungrat, S. 57
Atun, G. 241
- Ball, I.K. 47
Barone, G. 251
Basu, J.K. 143
Beydoun, D. 179, 213
Bizzi, M. 123
Bouillard, J. 1
Boyadzhiev, L. 137
Bychkov, V.Yu. 37
- Céspedes, M. 47
Changlin, W. 33
Cortés Corberán, V. 37
- Daniell, W. 47
De, S. 143
Duca, D. 251
- Fernández-Pereira, C. 155
- Ghoreishi, S.M. 163
Gidaspow, D. 1
- Goto, S. 57
- Haghighi, R. 163
Harrison, P.G. 47
Hisarli, G. 241
Huilin, L. 1
Hume, A.P. 171
- Jand, N. 25
Jena, P.R. 143
Jeong, N.-J. 101
Jianhua, Y. 235
Jianping, W. 33
Jin, B. 221
Jun, M. 15
- Kefa, C. 235
Kirilova, N. 137
Kumaresan, T. 199
- Lai, C.L. 205
Lant, P. 221
Li, P. 83
Lin, S.H. 205
Llop, M.F. 25
Lukinskas, P. 47
- Malinowska, B. 113
- Meera Sheriffa Begum, K.M. 199
Mendes, A. 67
Mingjiang, N. 235
Miró, E.E. 47
- Olivares del Valle, J. 155
- Petera, J. 171
Phongpatthanapanich, J. 57
Ping, Q. 33
Piotrowski, J. 95
Piotrowski, K. 95
Pniak, B. 113
Poukka, O. 187
Praserthdam, P. 57
- Rodrigues, A.E. 83
Ruiz, P. 37
- Saboni, A. 137
Saracco, G. 123
Sardarly, A.M. 37
Scott, J.A. 213
Seo, Y.-S. 101
Shamilov, N.T. 37
Sinev, M.Yu. 37
Sivashanmugam, P. 199
Song, K.-S. 101
- Sousa, J.M. 67
Specchia, V. 123
Sundaram, S. 199
- Tagawa, T. 57
Tan, T.T.Y. 179
- Ulla, M.A. 47
- Vale, J. 155
Valenzuela, R.X. 37
Vilches, L.F. 155
Vislovskiy, V.P. 37
- Walendziewski, J. 113
Watson, S.S. 213
Weatherley, L.R. 171
Wentie, L. 1
Wilén, B.-M. 221
- Xiaodong, L. 235
Xiu, G. 83
Xiyao, Y. 15
- Yip, C.K. 179
Yuchun, C. 235
- Zhaoliang, Z. 15

1000
1000
1000
1000
1000

1000

Subject Index of Volume 95

Activated sludge flocs

- A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221

Active component composition

- Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37

Activity coefficient

- Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57

Adsorption

- Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- A generalized shrinking core model applied to batch adsorption, 143

Adsorption kinetics

- Adsorption of carminic acid, a dye onto glass powder, 241

Adsorption-enhanced reaction (AER) process

- Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83

Agitator speed

- Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199

Airlift loop reactor

- The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33

Alumina

- Selectivity of platinum-zirconia catalysts in *n*-paraffins hydroisomerisation process, 113

Anatase

- The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213

Biodegradation

- Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

Bleaching

- Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187

Boundary layer

- Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235

Carminic acid

- Adsorption of carminic acid, a dye onto glass powder, 241

Catalyst characterisation

- Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37

Catalyst preparation methods

- Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37

Catalytic combustion

- Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123

Catalytic fin

- Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101

Catalytic heat exchanger

- Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101

Catalytic reduction

- Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium-tin solid solution catalysts, 15

Catalytic stability, activity and selectivity

- Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37

Charged drops

- Trajectories of charged drops in a liquid-liquid system, 171

Chemical reduction

- Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

2-Chloro-5-methyl-pyridine

- The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33

CO

- Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium-tin solid solution catalysts, 15

Coal fly ash

- Recycling potential of coal fly ash and titanium waste as new fireproof products, 155

Color removal

- Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

Compressibility

- A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221

Continuous operation

- Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57

Copper and COD removal

- Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205

Coprecipitation

- Cobalt catalysts for the oxidation of diesel soot particulate, 47

Dense polymeric catalytic membrane

- Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67

Direct chlorination

- The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33

Distillery effluent

- Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199

Dye

- Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163

- Effectiveness factor
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Electrocoagulation
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Emulsion liquid membrane
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- EPS
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Equilibrium reaction
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Extraction
Trajectories of charged drops in a liquid-liquid system, 171
- Extractor
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Filament index
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Filtrates
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Finite element model
Trajectories of charged drops in a liquid-liquid system, 171
- Fireproof products
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Flashback
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Floc size
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Flocculating ability
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Fractal dimension
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Freundlich isotherm
Adsorption of carminic acid, a dye onto glass powder, 241
- Gas-phase reaction
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Gas-solids two-phase flow
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Glass powder
Adsorption of carminic acid, a dye onto glass powder, 241
- Hydrodynamics
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Hydroisomerisation activity
Selectivity of platinum-zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Hydrophobicity
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Insulating plates
Recycling potential of coal fly ash and titanium waste as new fireproof products, 155
- Internal diffusivity
A generalized shrinking core model applied to batch adsorption, 143
- Inversion process
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Isobutane
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Isobutene
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Kinetic equation
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Kinetic theory of granular flow
Hydrodynamic simulation of gas-solid flow in a riser using kinetic theory of granular flow, 1
- Kinetics
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Langmuir isotherm
Adsorption of carminic acid, a dye onto glass powder, 241
- Liquid membranes
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Liquid-liquid system
Trajectories of charged drops in a liquid-liquid system, 171
- Low pressure fluidization
The influence of low pressure operation on fluidization quality, 25
- M/E ratio
Experimental studies on treatment of distillery effluent by liquid membrane extraction, 199
- Mass transfer coefficient
A generalized shrinking core model applied to batch adsorption, 143
- Mass-transfer
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Mathematical modeling
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
- Metal fiber burners
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Methyl acetate synthesis
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- 3-Methyl-pyridine
The preparation of 2-chloro-5-methyl-pyridine in airlift loop reactor, 33
- Modeling
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Nano-Ag
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Natural gas
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Nitric acid(V)
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95

- NO**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Numerical simulation**
Hydrodynamic simulation of gas–solid flow in a riser using kinetic theory of granular flow, 1
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- Optimisation**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Oxidative dehydrogenation**
Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37
- Pertraction**
Pertraction continue de tylosine dans un contacteur a films tournants, 137
- Pervaporation membrane reactor**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
- Photocatalysis**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Platinum**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Plug-flow pattern reactor**
Simulation study of a dense polymeric catalytic membrane reactor with plug-flow pattern, 67
- Polymeric constituents**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Pore diffusion**
A generalized shrinking core model applied to batch adsorption, 143
- Porous media**
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Premixed combustion modeling**
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Preparation**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Pressure fluctuation analysis**
The influence of low pressure operation on fluidization quality, 25
- Processes**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Pulp and paper**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Raman spectroscopy**
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Reaction engineering**
Adsorption-enhanced steam-methane reforming with intraparticle-diffusion limitations, 83
Improving the flashback resistance of catalytic and non-catalytic metal fiber burners, 123
- Recycling**
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Reduction**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Rutile**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213
- Selectivity**
Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113
- Selenate**
Effects of nano-Ag particles loading on TiO₂ photocatalytic reduction of selenate ions, 179
- Semiconductor CMP wastewater**
Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205
- Separation**
Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235
- Settleability**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Shrinking core model**
A generalized shrinking core model applied to batch adsorption, 143
- Simulation**
Theoretical study on the synthesis of methyl acetate from methanol and acetic acid in pervaporation membrane reactors: effect of continuous-flow modes, 57
Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187
- Slugging fluidization**
The influence of low pressure operation on fluidization quality, 25
- SO₂**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Sodium nitrate(III)**
Kinetic analysis of sodium nitrate(III) inversion with nitric acid(V), 95
- Solid solution**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- Soot**
Cobalt catalysts for the oxidation of diesel soot particulate, 47
- Surface charge**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Surface reaction**
Characteristics of surface reaction and heat transfer in a catalytic heat exchanger, 101
- SVI**
A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221
- Textile effluent**
Chemical catalytic reaction and biological oxidation for treatment of non-biodegradable textile effluent, 163
- Tin dioxide**
Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15
- TiO₂**
The effect of preparation method on the photoactivity of crystalline titanium dioxide particles, 213

Titania

- Separate/simultaneous catalytic reduction of sulfur dioxide and/or nitric oxide by carbon monoxide over titanium–tin solid solution catalysts, 15

Titanium dioxide

- Effects of nano-Ag particles loading on TiO_2 photocatalytic reduction of selenate ions, 179

Titanium waste

- Recycling potential of coal fly ash and titanium waste as new fireproof products, 155

Tungsten

- Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113

Turbidity reduction

- Electrocoagulation of chemical mechanical polishing (CMP) wastewater from semiconductor fabrication, 205

Turbulence intensity

- Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235

Two-phase flow

- Numerical simulation of the effects of turbulence intensity and boundary layer on separation efficiency in a cyclone separator, 235

Tylosin

- Pertraction continue de tylosine dans un contacteur a films tournants, 137

Vanadium-antimony oxide bulk and supported catalysts

- Improvement of catalytic functions of binary V-Sb oxide catalysts for oxidative conversion of isobutane to isobutene, 37

Viscosity

- A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221

Washing

- Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187

Waste recycling

- Recycling potential of coal fly ash and titanium waste as new fireproof products, 155

Wood fibres

- Possibilities of fractional filtrate configurations. Case: Bleaching of wood pulp fibres, 187

Zirconia

- Selectivity of platinum–zirconia catalysts in *n*-paraffins hydroisomerisation process, 113

ZSV

- A comprehensive insight into floc characteristics and their impact on compressibility and settleability of activated sludge, 221